ET MODULE Polycrystalline

ET-P660260WB/WW 260W ET-P660255WB/WW 255W ET-P660250WB/WW 250W ET-P660245WB/WW 245W



High conversion efficiency High module efficiency to guarantee power output.



Self-cleaning glass Coating glass for self-cleaning, reduce surface dust.



Outstanding low irradiation performance Excellent module efficiency even in the weak light conditions, such as morning or cloudy.



IEC 61215 Ed.2

IEC 61730 IEC 61701 Excellent loading capability 2400Pa wind loads, 5400Pa snow loads.





0 to +5W positive tolerance Detailed information in Electrical Specifications.



48-hour response service





M/ET-CP-EN-EU2014V1

www.etsolar.com

ELECTRICAL SPECIFICATIONS					
Model Type	ET-P660260WB	ET-P660255WB	ET-P660250WB	ET-P660245WB	
	ET-P660260WW	ET-P660255WW	ET-P660250WW	ET-P660245WW	
Peak Power (Pmax)	260W	255W	250W	245W	
Module Efficiency	15.98%	15.67%	15.37%	15.06%	
Maximum Power Voltage (Vmp)	31.48V	30.91V	30.34V	30.14V	
Maximum Power Current (Imp)	8.26A	8.25A	8.24A	8.13A	
Open Circuit Voltage (Voc)	38.09V	37.54V	37.47V	37.27V	
Short Circuit Current (Isc)	8.84A	8.82A	8.76A	8.73A	
Power Tolerance	0 to +5W				
Maximum System Voltage	DC 1000V				
Nominal Operating Cell Temperature	45.3±2℃				
Fire Safety	Class C				
Maximum Series Fuse Rating	20A				

MECHANICAL SPECIFICATIONS

Cell Type	156mm x 156mm		
Number of Cells	60 cells in series		
Weight	18.8 kg (41.45 lbs)		
Dimension	1640×992×40mm (64.57×39.06×1.58 inch)		
Max Load	5400 Pascals (112 lb/ft ²)		
Junction Box	IP67 rated		
Connector	MC4 Compatible		

TEMPERATURE COEFFICIENT	
Temp. Coeff. of Isc (TK Isc)	0.04% /°C
Temp. Coeff. of Voc (TK Voc)	-0.34% /°C
Temp. Coeff. of Pmax (TK Pmax)	-0.44% /°C

PACKING MANNERContainer20' GP40' GPPieces per Pallet2626Pieces per Container312728

PHYSICAL CHARACTERISTICS





ELECTRICAL CHARACTERISTICS



Temperature Dependence of Isc, Voc and Pmax



Irradiance Dependence of Isc, Voc and Pmax (Cell Temperature:25°C)



Note: the specifications are obtained under the Standard Test Conditions (STCs): 1000 W/m² solar irradiance, 1.5 Air Mass, and cell temperature of 25°C. The NOCT is obtained under the Test Conditions: 800 W/m², 20°C ambient temperature, 1m/s wind speed, AM 1.5 spectrum.

Please contact support@etsolar.com for technical support. The actual transactions will be subject to the contracts. This parameters is for reference only and it is not a part of the contracts. The specifications are subject to change without prior notice.