

# Q.PRO-G3 250-270

Versatility. Safety.

The new Q.PRO-G3 is the reliable evergreen for all applications. The third module generation from Q CELLS has been optimised across the board: improved output yield, higher operating reliability and durability, quicker installation and more intelligent design.

# **INNOVATIVE ALL-WEATHER TECHNOLOGY**

- Maximum yields with excellent low-light and temperature behaviour.
- Increased efficiency due to world recordholding cell concept Q.ANTUM.

# **ENDURING HIGH PERFORMANCE**

- Long-term Yield Security due to Anti PID Technology<sup>1</sup>, Hot-Spot Protect, and Traceable Quality Tra.Q™.
- Long-term stability due to VDE Quality **Tested** – the strictest test program.

# **SAFE ELECTRONICS**

- Protection against short circuits and thermally induced power losses due to breathable junction box and welded cables.
- Increased flexibility due to MC4-intermateable connectors.

# PROFIT-INCREASING GLASS TECHNOLOGY

• Reduction of light reflection by 50%, plus long-term corrosion resistance due to highquality »Sol-Gel roller coating« processing.

# LIGHTWEIGHT QUALITY FRAME

• Stability at wind loads of up to 5400 Pa with a module weight of just 19 kg due to slim frame design with high-tech alloy.

## **MAXIMUM COST REDUCTIONS**

• Up to 29% lower logistics costs due to higher module capacity per box.

# **EXTENDED WARRANTIES**


• Investment security due to 12-year product warranty and 25-year linear performance warranty2.



See data sheet on rear for further informatio



APT test conditions: Cells at -1000 V against grounded, with conductive metal foil covered module surface, 25 °C, 168 h



ELECTRICAL CHARACTERISTICS							
PERFORMANCE AT STANDARD TEST CONDITIONS (STC: 1000 W/m², 25 °C, AM 1.5 G SPECTRUM)¹							
NOMINAL POWER (+5 W/-0 W)		[W]	250	255	260	265	270
Average Power	$P_{\text{MPP}}$	[W]	252.5	257.5	262.5	267.5	272.5
Short Circuit Current	I <sub>sc</sub>	[A]	8.71	8.90	9.09	9.28	9.47
Open Circuit Voltage	V <sub>oc</sub>	[V]	37.49	37.83	38.18	38.52	38.86
Current at P <sub>MPP</sub>	I <sub>MPP</sub>	[A]	8.21	8.37	8.53	8.69	8.85
Voltage at P <sub>MPP</sub>	$\mathbf{V}_{\text{MPP}}$	[V]	30.76	30.77	30.78	30.79	30.80
Efficiency (Nominal Power)	η	[%]	≥15.0	≥15.3	≥15.6	≥15.9	≥16.2
PERFORMANCE AT NORMAL OPERATING CELL TEMPERATURE (NOCT: 800 W/m², 45 ± 3 °C. AM 1.5 G SPECTRUM)²							
NOMINAL POWER (+5 W/-0 W)		[W]	250	255	260	265	270
Average Power	$\mathbf{P}_{\text{MPP}}$	[W]	186.0	189.7	193.4	197.1	200.8
Short Circuit Current	I <sub>sc</sub>	[A]	7.03	7.18	7.33	7.48	7.63
Open Circuit Voltage	V <sub>oc</sub>	[V]	34.68	34.99	35.31	35.63	35.95
Current at P <sub>MPP</sub>	I <sub>MPP</sub>	[A]	6.44	6.56	6.68	6.80	6.93
Voltage at P <sub>MPP</sub>	$V_{\text{MPP}}$	[V]	28.89	28.92	28.94	28.97	28.99
$^{1}$ Measurement tolerances STC: $\pm 3\%$ (P <sub>MPP</sub> ); $\pm 10\%$ (I <sub>SC</sub> , V <sub>OC</sub> , I <sub>MPP</sub> , V <sub>MPP</sub> )			$^2$ Measurement tolerances NOCT: $\pm 5\%$ (P <sub>MPP</sub> ); $\pm 10\%$ (I <sub>SC</sub> , V <sub>OC</sub> , I <sub>MPP</sub> , V <sub>MPP</sub> )				

95 85 80

10

15

Q CELLS PERFORMANCE WARRANTY

5

At least 97 % of nominal power during first year. Thereafter max. 0.6% degradation per year. At least 92% of nominal power after

10 years. At least 83% of nominal power after 25 years.

All data within measurement tolerances. Full warranties in accordance with the warranty terms of the Q CELLS sales organisation of your respective country.



The typical change in module efficiency at an irradiance of 200 W/m² in relation to 1000 W/m² (both at 25 °C and AM 1.5 G spectrum) is -2 %(relative).

TEMP ENAPORE GOLFFIGIENTS (AT 1000 W/m , 20 0, AM 1.0 0 0 EUTROM)	TEMPERATURE COEFFICIENTS (AT	1000 W/m <sup>2</sup> , 25 °C,	AM 1.5 G SPECTRUM)
---	------------------------------	--------------------------------	--------------------

20

Temperature Coefficient of I <sub>sc</sub>	α	[%/K]	+0.04	Temperature Coefficient of $V_{_{\infty}}$	β	[%/K]	-0.33
Temperature Coefficient of P <sub>MPP</sub>	γ	[%/K]	-0.42				

PROPERTIES FOR SYSTEM DESIGN					
Maximum System Voltage V <sub>SYS</sub>	[V]	1000	Safety Class	II	
Maximum Reverse Current I <sub>R</sub>	[A]	20	Fire Rating	С	
Wind/Snow Load (in accordance with IEC 61215)	[Pa]	5400	Permitted module temperature on continuous duty	-40 °C up to +85 °C	

UIIVITEICA	TIONS AND CEI	DTIEICATEC
QUALITICA	HUNG AND GLI	KIIIIUAILS

VDE Quality Tested, IEC 61215 (Ed.2); IEC 61730 (Ed.1), Application class A This data sheet complies with DIN EN 50380.





**PARTNER** 

NOTE: Installation instructions must be followed. See the installation and operating manual or contact our technical service department for further information on approved installation and use of this product.

## Hanwha Q CELLS GmbH

Sonnenallee 17-21, 06766 Bitterfeld-Wolfen, Germany | TEL +49 (0)3494 66 99-23444 | FAX +49 (0)3494 66 99-23000 | EMAIL sales@q-cells.com | WEB www.q-cells.com

